

ANTIBIOTIC DROPS



- Besivance
- Vigamox
- Ciprofloxacin
-

3 TIMES (X) A DAY FOR 1 WEEK

**STEROIDAL DROPS
(Anti-Inflammatory)**

SHAKE BEFORE EVERY USE



- Durezol
**3 X/DAY FOR 2 WEEKS, THEN
2 X/DAY FOR 1 WEEK, THEN
1X/DAY FOR 1 WEEK**
- Pred. Acetate 1%
4 X/DAY FOR 4 WEEKS

**NON-STEROIDAL DROPS
(Anti-Inflammatory)**



- Bromday
1 X/ DAY FOR 4 WEEKS
- Nevanac
3 X/ DAY FOR 4 WEEKS

**PRESERVATIVE FREE
ARTIFICIAL TEARS**



- Blink
- Refresh
- Systane

**AS NEEDED FOR
IRRITATION & DRYNESS**

****See drop schedule grid
on reverse side.**

Wait 5 minutes between drops. Use drops during waking hours only. Do not rub or touch your eye!

AFTER YOUR SURGERY:

- Sensation of mild discomfort, tearing, aches or pains are normal and expected after cataract surgery. If you have severe pain not relieved by Tylenol, please call our office immediately.
- Wear eye goggles/shield when sleeping for the first week. Position the shield over your eye and apply a strip of tape diagonally from the center of your forehead to your cheek.
- You may take a shower and wash your hair but be careful not to get soap in your eye.
- It is normal for vision to be blurry right after surgery. Because of this your vision may not be adequate to drive. Your vision will gradually improve over time.
- You may return to work and/or drive when you are confident with your vision and your comfort allows.
- **If you notice increasing pain or a decrease in vision, please call our office immediately!**

- You are allowed to bend over for normal daily activities; however, do not engage in activities that involve heavy lifting for 2 weeks. Please remember to stay away from areas with excessive dirt and dust following surgery.
- Wear something to protect your eyes at all times. You can choose from a pair of sunglasses, safety goggles, or plastic shields.
- Immediately after surgery, you may resume all of your regular medications prescribed by your family and/or specialty doctors unless specified otherwise.
- Only use the eye drops prescribed by the eye doctor immediately after surgery in your operated eye. Please continue to use any glaucoma or other eye drops in the unoperated eye.
- **Your 1-day postoperative check is on:**

_____ at _____

Emergency pager numbers: Dr. Bansal (707) 323-0005 Dr. Tseng (415) 414-1415
Dial pager number and wait for the beep before you enter your phone number with area code and press (#)
If you have any questions, please call **707-522-6200 or 800-527-3745**

